


**TOPSLIDE PANTRY UNIT KIT FOR YOUR CUSTOMIZED NEEDS**

TOPSLIDE fabulous and functional HEAVY DUTY pullout pantry slide solution is the answer to your full access pantry cabinetry needs.

A bottom mounted soft-close slide with a top guide rail ensures smooth but stable functionality and can be fitted to your customized pantry pullout solution.


Bring style and functionality by combining your pantry solution with a pantry slide kit from TOPSLIDE (A+B):


**SLIDE SPECIFICATIONS:**

- Dynamic load capacity 120kg
- Soft-Close Feature
- Length 475mm, full extension
- Galvanized
- Front panel tilt adjustment
- Tested 60.000 Cycles
- Bottom and top guided
- Smooth running combined with high stability
- Minor deflection due to solid lower guide
- Set packaging - assembled ready for installation

TOPSLIDE Pullout Pantry HEAVY DUTY 120 kg slide is the perfect slide for your pullout solution competitively priced with specifications meeting other well known brands on the market.

The TOPSLIDE pantry kit (A+B) will be suitable for your pantry pullout solution illustrated by (C). Please refer to the attached technical specifications below:






Remarks:

1. Tolerance for the hole diameter:  $\pm 0.1\text{mm}$ ;
2. Tolerance for the distance between holes:  $\pm 0.2\text{mm}$ ;

Tolerance	> 0.5	> 6	> 30	> 120	> 400	> 1000
GB/T 1804-M	-6	-30	-120	-400	-1000	-2000
(ISO 2768-M)	$\pm 0.1$	$\pm 0.2$	$\pm 0.3$	$\pm 0.5$	$\pm 0.8$	$\pm 1.2$

**B**

**Model Pantry 45mm Slide  
Full Extension Slide  
Ver.1. 10.09.2024**



Tolerance	>0.3	>4	>30	>120	>400	>1000
Ø/7 100-4	-0.1	-0.2	-0.3	-0.5	-0.8	-1.2
(10 250-4)	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2

Remarks:

1. Tolerance for the hole diameter:  $\pm 0.1\text{mm}$ ;
2. Tolerance for the distance between holes:  $\pm 0$

**A**

**Model Pantry 71mm Slide  
Full Extension Slide  
Ver.1. 10.09.2024**