

Above ground combination pump stations

To enable us to assist with your requirements please contact us providing the following information:

- Actual storage capacity required.
- Connection type and sizes required.
- Size of the booster set being utilised.
- Details of any access restrictions to enable positioning of the unit.



- A single piece self contained pump station combining the tank compartment for water storage with the dry compartment which houses the pump set and or any other equipment.
- All pipework connections between the tank compartment and pump are set within the unit.
- Requires only inlet, outlet and overflow and the electrical supply connecting to and from the unit, ensuring "plug and play" easy site installation.
- Large lockable access door for increased security.
- Optional heavy duty galvanised steel skid to allow external positioning.
- Most units can be positioned using fork lift trucks, larger units may require crane lift.
- Available with AB air gap option.
- Available with actual storage capacity options of 1000, 2000, 3000, 4000, 5000, or 7000 litres.
- Also available our compact range with various options, please see our "Above ground combination units compact range" table for sizes.



Optional items available:

- Equilibrium float valves.
- Aylesbury keraflo delayed action float valve.
- Frost protection.
- Bulk head lighting.
- Electrical consumer unit fitted with breakers, RCD.



Above ground combination units Standard range

Product	Nominal Capacity	External dimensions	Wet compartment	Pump compartment
CU1.1000AG	1620 litres	2160 x 1960 x 1902mm high	500 x 1800 x 1800mm high	1500 x 1800 x 1800mm high
CU1.1000AB	1620 litres	2160 x 1960 x 1902mm high	500 x 1800 x 1800mm high	1500 x 1800 x 1800mm high
CU2.2000AG	3240 litres	2660 x 1960 x 1918mm high	1000 x 1800 x 1800mm high	1500 x 1800 x 1800mm high
CU2.2000AB	3240 litres	2660 x 1960 x 1918mm high	1000 x 1800 x 1800mm high	1500 x 1800 x 1800mm high
CU2.3000AG	4200 litres	2660 x 1960 x 1918mm high	1800 x 1300 x 1800mm high	1800 x 1200 x 1800mm high
CU2.3000AB	4200 litres	2660 x 1960 x 1918mm high	1800 x 1300 x 1800mm high	1800 x 1200 x 1800mm high
CU3.4000AG	5500 litres	3560 x 1960 x 1918mm high	1700 x 1800 x 1800mm high	1700 x 1800 x 1800mm high
CU3.4000AB	5500 litres	3560 x 1960 x 1918mm high	1700 x 1800 x 1800mm high	1700 x 1800 x 1800mm high
CU3.5000AG	7100 litres	3560 x 1960 x 1918mm high	2200 x 1800 x 1800mm high	1200 x 1800 x 1800mm high
CU3.5000AB	7100 litres	3560 x 1960 x 1918mm high	2200 x 1800 x 1800mm high	1200 x 1800 x 1800mm high
CU4.7000AG	10044 litres	4460 x 1960 x 1918mm high	3100 x 1800 x 1800mm high	1200 x 1800 x 1800mm high
CU4.7000AB	10044 litres	4460 x 1960 x 1918mm high	3100 x 1800 x 1800mm high	1200 x 1800 x 1800mm high

Units do not include electrical components, wiring, pump sets, control equipment of any kind or internal pipe work. Units not fitted with a galvanised steel skid are suitable for positioning onto a structural pad only which should be flat, level and continuous and be +/- 2mm over the surface area. Units not fitted with galvanised steel skid have an external height 200mm less than stated in the overall dimensions column of this page. Pricing & specification may change. Please check for up to date information.



Please note...

All units are fitted with the following:

Lockable access man-way fitted to the roof of the wet compartment. A fully encapsulated ply base. Rubber mats in the dry compartments.

Above ground Combination units Compact range



Product	Nominal Capacity	External dimensions	Wet compartment	Pump compartment
CUCOMP.1000-500	500 Litres	1170 x 1170 x 1107mm	500 x 500 x 1000mm	500 x 500 x 1000mm
CUCOMP.1500-500	500 Litres	1692 x 1192 x 1107mm	500 x 1000 x 1000mm	1000 x 1000 x 1000mm
CUCOMP.1500-750	750 Litres	1692 x 1192 x 1123mm	750 x 1000 x 1000mm	750 x 1000 x 1000mm
CUCOMP.1500-1000	1000 Litres	1692 x 1192 x 1123mm	1000 x 1000 x 1000mm	500 x 1000 x 1000mm
CUCOMP.2000-500	500 Litres	2192 x 1192 x 1107mm	500 x 1000 x 1000mm	1500 x 1000 x 1000mm
CUCOMP.2000-750	750 Litres	2192 x 1192 x 1123mm	750 x 1000 x 1000mm	1250 x 1000 x 1000mm
CUCOMP.2000-1000	1000 Litres	2192 x 1192 x 1123mm	1000 x 1000 x 1000mm	1000 x 1000 x 1000mm
CUCOMP.2501-1250	1250 Litres	2192 x 1192 x 1373mm	1000 x 1000 x 1250mm	1000 x 1000 x 1250mm
CUCOMP.3000-1000	1000 Litres	3192 x 1192 x 1123mm	1000 x 1000 x 1000mm	2000 x 1000 x 1000mm
CUCOMP.3000-1500	1500 Litres	3192 x 1192 x 1123mm	1500 x 1000 x 1000mm	1500 x 1000 x 1000mm
CUCOMP.3000-2000	2000 Litres	3192 x 1192 x 1123mm	2000 x 1000 x 1000mm	1000 x 1000 x 1000mm
CUCOMP.3001-1500	1500 Litres	2192 x 1192 x 1643mm	1000 x 1000 x 1500mm	1000 x 1000 x 1500mm
CUCOMP.3636-2143	2143 Litres	2610 x 1410 x 1343mm	1440 x 1220 x 1220mm	1000 x 1220 x 1220mm
CUCOMP.5625-2250	2250 Litres	2705 x 1705 x 1623mm	1500 x 1500 x 1500mm	1000 x 1500 x 1500mm
CUCOMP.5625-3375	3375 Litres	2705 x 1705 x 1643mm	1500 x 1500 x 1500mm	1000 x 1500 x 1500mm
CUCOMP.7500-4500	4500 Litres	2692 x 2192 x 1618mm	1500 x 2000 x 1500mm	1000 x 2000 x 1500mm
CUCOMP.7500-3000	3000 Litres	2692 x 2192 x 1618mm	1000 x 2000 x 1500mm	1500 x 2000 x 1500mm
CUCOMP.8000-4000	4000 Litres	2192 x 2192 x 2118mm	1000 x 2000 x 2000mm	1000 x 2000 x 2000mm
CUCOMP.8000-3000	3000 Litres	2192 x 2192 x 2118mm	750 x 2000 x 2000mm	1250 x 2000 x 2000mm
CUCOMP.9000-6000	6000 Litres	3192 x 2192 x 1618mm	2000 x 2000 x 1500mm	1000 x 2000 x 1500mm
CUCOMP.9000-4500	4500 Litres	3192 x 2192 x 1618mm	1500 x 2000 x 1500mm	1500 x 2000 x 1500mm
CUCOMP.9000-3000	3000 Litres	3192 x 2192 x 1618mm	1000 x 2000 x 1500mm	2000 x 2000 x 1500mm
CUCOMP.12000-8000	8000 Litres	3192 x 2192 x 2118mm	2000 x 2000 x 2000mm	1000 x 2000 x 2000mm
CUCOMP.12000-6000	6000 Litres	3192 x 2192 x 2118mm	1500 x 2000 x 2000mm	1500 x 2000 x 2000mm
CUCOMP.12000-4000	4000 Litres	3192 x 2192 x 2118mm	1000 x 2000 x 2000mm	2000 x 2000 x 2000mm
CUCOMP.16000-12000	12000 Litres	4164 x 2166 x 2118mm	3000 x 2000 x 2000mm	970 x 2000 x 2000mm
CUCOMP.16000-10000	10000 Litres	4164 x 2166 x 2118mm	2500 x 2000 x 2000mm	1470 x 2000 x 2000mm
CUCOMP.16000-8000	8000 Litres	4192 x 2166 x 2118mm	2000 x 2000 x 2000mm	1970 x 2000 x 2000mm
CUCOMP.16000-6000	6000 Litres	4164 x 2166 x 2118mm	1500 x 2000 x 2000mm	2470 x 2000 x 2000mm
CUCOMP.20000-16000	16000 Litres	5165 x 2166 x 2118mm	4000 x 2000 x 2000mm	970 x 2000 x 2000mm
CUCOMP.20000-14000	14000 Litres	5165 x 2166 x 2118mm	3500 x 2000 x 2000mm	1470 x 2000 x 2000mm
CUCOMP.20000-12000	12000 Litres	5165 x 2166 x 2118mm	3000 x 2000 x 2000mm	1970 x 2000 x 2000mm
CUCOMP.20000-10000	10000 Litres	5165 x 2166 x 2118mm	2500 x 2000 x 2000mm	2470 x 2000 x 2000mm
CUCOMP.20000-8000	8000 Litres	5165 x 2166 x 2118mm	2000 x 2000 x 2000mm	2970 x 2000 x 2000mm
CUCOMP.20000-6000	6000 Litres	5165 x 2166 x 2118mm	1500 x 2000 x 2000mm	3470 x 2000 x 2000mm