

**TOPSLIDE**<sup>®</sup>  
INTERNATIONAL



*Quick Ship Program*

**TOP** SYSTEM

*SL-SERIES metal drawer*

**TOPSLIDE**

# TOPSYSTEM *SL-SERIES* METAL DRAWER


## Page



### Lower drawer

Drawer height: 89 mm.

Load capacity: 40 kg.




3



### Lower inner drawer

Drawer height: 89 mm.

Load capacity: 40 kg.




5



### Medium drawer

Drawer height: 121 mm.

Load capacity: 40 kg.




7



### Medium inner drawer

Drawer height: 121 mm.

Load capacity: 40 kg.





9



### High drawer

Drawer height: 185 mm.

Load capacity: 40 kg.





11




### High inner drawer

Drawer height: 185 mm.


Load capacity: 40 kg.



13



### Drawer assembly




Metal back assembly


Metal back assembly drawer

Bottom assembly

15




# TOPSYSTEM *SL-SERIES* METAL DRAWER - height 89 mm (low drawer)



- 13 mm slim drawer panel max internal drawer space
- Color white or grey
- Fully synchronized motion, smooth opening and closing
- Quick and easy assembly and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space requirement




## Specification

| Kit package        |                            |         |
|--------------------|----------------------------|---------|
| White (W) Grey (G) |                            |         |
| Nominal length NL  | Soft close drawer item NO. | Set/ctn |
| 270mm              | SL89-270K                  | 1       |
| 300mm              | SL89-300K                  | 1       |
| 350mm              | SL89-350K                  | 1       |
| 400mm              | SL89-400K                  | 1       |
| 450mm              | SL89-450K                  | 1       |
| 500mm              | SL89-500K                  | 1       |
| 550mm              | SL89-550K                  | 1       |

| Drawer slides industrial package |                            |         |
|----------------------------------|----------------------------|---------|
| Pre-zinc steel                   |                            |         |
| Nominal length NL                | Soft close drawer item NO. | Set/ctn |
| 270mm                            | SL44C-270                  | 10      |
| 300mm                            | SL44C-300                  | 10      |
| 350mm                            | SL44C-350                  | 10      |
| 400mm                            | SL44C-400                  | 10      |
| 450mm                            | SL44C-450                  | 10      |
| 500mm                            | SL44C-500                  | 10      |
| 550mm                            | SL44C-550                  | 10      |

| Drawer sides industrial package |            |         |
|---------------------------------|------------|---------|
| White (W) Grey (G)              |            |         |
| Nominal length NL               | Item NO.   | Set/ctn |
| 270mm                           | SL89-270mm | 10      |
| 300mm                           | SL89-300mm | 10      |
| 350mm                           | SL89-350mm | 10      |
| 400mm                           | SL89-400mm | 10      |
| 450mm                           | SL89-450mm | 10      |
| 500mm                           | SL89-500mm | 10      |
| 550mm                           | SL89-550mm | 10      |


## The basic components




| Bottom Fixing-brackets left/right Industrial Package |                          |          |    |
|------------------------------------------------------|--------------------------|----------|----|
| Item                                                 | incl. with drawer slides | Set/ctn  | 10 |
| Front Fixing-brackets Industrial Package             |                          |          |    |
| Pre-zinc Steel                                       |                          |          |    |
| Item                                                 | incl. with drawer sides  | Set/ctn  | 10 |
| Screw Industrial Package                             |                          |          |    |
| Zinc Plated                                          |                          |          |    |
| Item                                                 | incl. with drawer sides  | Set/ctn. | 10 |

### Installation dimensions (mm)

Nominal Slide Length=NL      Internal Cabinet Depth=LT=NL+3




### Drawer installation dimensions (mm)



Technical drawing of the back of a cabinet. The drawing shows the internal structure and components. Key dimensions and labels include:

- 10**: Dimension for the distance between the top and bottom mounting brackets.
- 31**: Dimension for the distance between the left and right mounting brackets.
- 80-1**: Label for the top mounting bracket.
- 1-180**: Label for the bottom mounting bracket.
- L**: Label for the central panel.


Screw positions of the sides (mm)






### Installation dimensions (mm)

LW Internal cabinet width


### Installation Dimensions(mm)



Drawer back and bottom dimensions (mm)




# TOPSYSTEM *SL-SERIES* METAL DRAWER - height 89 mm (low inner drawer)



- Slim drawer panel  
max internal drawer space
- Color white or Grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space requirement




## Specification



|  | Kit package                |         |
|-----------------------------------------------------------------------------------|----------------------------|---------|
|                                                                                   | White (W) Grey (G)         |         |
| Nominal length<br>NL                                                              | Soft close drawer item NO. | Set/ctn |
| 270mm                                                                             | SL89-270KI                 | 1       |
| 300mm                                                                             | SL89-300KI                 | 1       |
| 350mm                                                                             | SL89-350KI                 | 1       |
| 400mm                                                                             | SL89-400KI                 | 1       |
| 450mm                                                                             | SL89-450KI                 | 1       |
| 500mm                                                                             | SL89-500KI                 | 1       |
| 550mm                                                                             | SL89-550KI                 | 1       |

|  | Drawer slides<br>industrial package |         |
|------------------------------------------------------------------------------------|-------------------------------------|---------|
|                                                                                    | Pre-zinc steel                      |         |
| Nominal length<br>NL                                                               | Soft close drawer item NO.          | Set/ctn |
| 270mm                                                                              | SL44C-270                           | 10      |
| 300mm                                                                              | SL44C-300                           | 10      |
| 350mm                                                                              | SL44C-350                           | 10      |
| 400mm                                                                              | SL44C-400                           | 10      |
| 450mm                                                                              | SL44C-450                           | 10      |
| 500mm                                                                              | SL44C-500                           | 10      |
| 550mm                                                                              | SL44C-550                           | 10      |

|  | Drawer sides<br>industrial package |         |
|-------------------------------------------------------------------------------------|------------------------------------|---------|
|                                                                                     | White (8081) 、 Grey(8082)          |         |
| Nominal length<br>NL                                                                | Item NO.                           | Set/ctn |
| 270mm                                                                               | SL89-270mm                         | 10      |
| 300mm                                                                               | SL89-300mm                         | 10      |
| 350mm                                                                               | SL89-350mm                         | 10      |
| 400mm                                                                               | SL89-400mm                         | 10      |
| 450mm                                                                               | SL89-450mm                         | 10      |
| 500mm                                                                               | SL89-500mm                         | 10      |
| 550mm                                                                               | SL89-550mm                         | 10      |

|  | Locking brackets L/R      |                          | Industrial Package |    |
|-------------------------------------------------------------------------------------|---------------------------|--------------------------|--------------------|----|
|                                                                                     | Item                      | incl. with drawer slides | Set/ctn            | 10 |
|  | Front Fixing brackets L/R |                          | Industrial Package |    |
|                                                                                     | Item                      | incl. with drawer sides  | Set/ctn            | 10 |
|  | Front section             |                          | Industrial Package |    |
|                                                                                     | Item                      | incl. with drawer sides  | Set/ctn            | 10 |
|  | Screw ( Φ 4x25 )          |                          | Industrial Package |    |
|                                                                                     | Item                      | incl. with drawer sides  | Set/ctn            | 10 |
|  | Bottom fixed              |                          | Industrial Package |    |
|                                                                                     | Item                      | incl. with drawer sides  | Set/ctn            | 10 |

## The basic components




|                                                                                                           |                    |                          |                    |    |
|-----------------------------------------------------------------------------------------------------------|--------------------|--------------------------|--------------------|----|
| <div>8</div> <div></div> | Screw ( Φ 3.5x13 ) |                          | Industrial Package |    |
|                                                                                                           | Zinc Plated        |                          |                    |    |
|                                                                                                           | Item NO.           | incl. with drawer slides | Set/ctn            | 10 |


|                                                                                                           |                           |                          |                    |    |
|-----------------------------------------------------------------------------------------------------------|---------------------------|--------------------------|--------------------|----|
| <div>9</div> <div></div> | Front Fixing brackets L/R |                          | Industrial Package |    |
|                                                                                                           |                           |                          |                    |    |
|                                                                                                           | Item NO.                  | incl. with drawer slides | Set/ctn            | 10 |

|                                                                                                            |               |                    |                    |    |
|------------------------------------------------------------------------------------------------------------|---------------|--------------------|--------------------|----|
| <div>10</div> <div></div> | Front section |                    | Industrial Package |    |
|                                                                                                            |               |                    |                    |    |
|                                                                                                            | Item NO.      | White (W) Grey (G) | Set/ctn            | 10 |


808-1 Front section




Back




808-2 Front section



## Screw positions of the sides (mm)






Normal Silde Length=NL Internal Cabinet Depth=LT LT=NL+3




## Installation Dimensions(mm)

LW Internal cabinet width



KB Cabinet width  
LW Internal cabinet width  
NL Nominal length




# TOPSYSTEM *SL-SERIES* METAL DRAWER - height 121 mm (medium drawer)





- 13 mm slim drawer panel  
max internal drawer space
- Color white or grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space requirement




## Specification



|  | Kit package                |         |  |
|-----------------------------------------------------------------------------------|----------------------------|---------|--|
|                                                                                   | White (W) Grey (G)         |         |  |
| Nominal length<br>NL                                                              | Soft close drawer item NO. | Set/ctn |  |
| 270mm                                                                             | SL121-270K                 | 1       |  |
| 300mm                                                                             | SL121-300K                 | 1       |  |
| 350mm                                                                             | SL121-350K                 | 1       |  |
| 400mm                                                                             | SL121-400K                 | 1       |  |
| 450mm                                                                             | SL121-450K                 | 1       |  |
| 500mm                                                                             | SL121-500K                 | 1       |  |
| 550mm                                                                             | SL121-550K                 | 1       |  |

|  | Drawer slides<br>industrial package |         |  |
|------------------------------------------------------------------------------------|-------------------------------------|---------|--|
|                                                                                    | Pre-zinc steel                      |         |  |
| Nominal length<br>NL                                                               | Soft close drawer item NO.          | Set/ctn |  |
| 270mm                                                                              | SL44C-270                           | 10      |  |
| 300mm                                                                              | SL44C-300                           | 10      |  |
| 350mm                                                                              | SL44C-350                           | 10      |  |
| 400mm                                                                              | SL44C-400                           | 10      |  |
| 450mm                                                                              | SL44C-450                           | 10      |  |
| 500mm                                                                              | SL44C-500                           | 10      |  |
| 550mm                                                                              | SL44C-550                           | 10      |  |

|  | Drawer sides<br>industrial package |         |  |
|-------------------------------------------------------------------------------------|------------------------------------|---------|--|
|                                                                                     | White (W) Grey (G)                 |         |  |
| Nominal length<br>NL                                                                | Item NO.                           | Set/ctn |  |
| 270mm                                                                               | SL121-270mm                        | 10      |  |
| 300mm                                                                               | SL121-300mm                        | 10      |  |
| 350mm                                                                               | SL121-350mm                        | 10      |  |
| 400mm                                                                               | SL121-400mm                        | 10      |  |
| 450mm                                                                               | SL121-450mm                        | 10      |  |
| 500mm                                                                               | SL121-500mm                        | 10      |  |
| 550mm                                                                               | SL121-550mm                        | 10      |  |


## The basic components



|  | Bottom Fixing-brackets left/right |                          |          | Industrial Package |  |
|-------------------------------------------------------------------------------------|-----------------------------------|--------------------------|----------|--------------------|--|
|                                                                                     | Item                              | incl. with drawer slides | Set/ctn  | 10                 |  |
|  | Front Fixing-brackets             |                          |          | Industrial Package |  |
|                                                                                     | Pre-zinc Steel                    |                          |          |                    |  |
|                                                                                     | Item                              | incl. with drawer sides  | Set/ctn  | 10                 |  |
|  | Screw                             |                          |          | Industrial Package |  |
|                                                                                     | Zinc Plated                       |                          |          |                    |  |
|                                                                                     | Item                              | incl. with drawer sides  | Set/ctn. | 10                 |  |


## Installation dimensions (mm)

Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+3




## Drawer installation dimensions (mm)


Drawer Front



Back




## Screw positions of the sides (mm)





## Installation dimensions (mm)


LW Internal cabinet width



## Drawer back and bottom dimensions (mm)



KB Cabinet width  
 LW Internal cabinet width  
 NL Nominal length




# TOPSYSTEM *SL-SERIES* METAL DRAWER height 121 mm (medium inner drawer)



- Slim drawer panel  
max internal drawer space
- Color white or Grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space Requirement



## Specification



| Kit package          |                            |         |
|----------------------|----------------------------|---------|
| White (W) Grey (G)   |                            |         |
| Nominal length<br>NL | Soft close drawer item NO. | Set/ctn |
| 270mm                | SL89-270Ki                 | 1       |
| 300mm                | SL89-300KI                 | 1       |
| 350mm                | SL89-350KI                 | 1       |
| 400mm                | SL89-400KI                 | 1       |
| 450mm                | SL89-450KI                 | 1       |
| 500mm                | SL89-500KI                 | 1       |
| 550mm                | SL89-550KI                 | 1       |

| Sides Industrial Package |                            |         |
|--------------------------|----------------------------|---------|
| Pre-zinc Steel           |                            |         |
| Nominal length<br>NL     | Soft close drawer item NO. | Set/ctn |
| 270mm                    | SL44C-270                  | 10      |
| 300mm                    | SL44C-300                  | 10      |
| 350mm                    | SL44C-350                  | 10      |
| 400mm                    | SL44C-400                  | 10      |
| 450mm                    | SL44C-450                  | 10      |
| 500mm                    | SL44C-500                  | 10      |
| 550mm                    | SL44C-550                  | 10      |

| Drawer Sides Industrial Package |            |         |
|---------------------------------|------------|---------|
| White (8081) 、 Grey(8082)       |            |         |
| Nominal length<br>NL            | Item NO.   | Set/ctn |
| 270mm                           | SL89-270mm | 10      |
| 300mm                           | SL89-300mm | 10      |
| 350mm                           | SL89-350mm | 10      |
| 400mm                           | SL89-400mm | 10      |
| 450mm                           | SL89-450mm | 10      |
| 500mm                           | SL89-500mm | 10      |
| 550mm                           | SL89-550mm | 10      |

| Locking brackets L/R Industrial Package      |                          |         |
|----------------------------------------------|--------------------------|---------|
| Item                                         | incl. with drawer slides | Set/ctn |
|                                              |                          | 10      |
| Front Fixing brackets L/R Industrial Package |                          |         |
| White, Grey                                  |                          |         |
| Item                                         | incl. with drawer sides  | Set/ctn |
|                                              |                          | 10      |
| Front section Industrial Package             |                          |         |
| White, Grey                                  |                          |         |
| Item                                         | incl. with drawer sides  | Set/ctn |
|                                              |                          | 10      |
| Screw ( Φ 4x25 ) Industrial Package          |                          |         |
| Zinc Plated                                  |                          |         |
| Item                                         | incl. with drawer sides  | Set/ctn |
|                                              |                          | 10      |
| Bottom fixed Industrial Package              |                          |         |
| White                                        |                          |         |
| Item                                         | incl. with drawer sides  | Set/ctn |
|                                              |                          | 10      |

## The basic components




|    |                           |  |  |                    |
|----|---------------------------|--|--|--------------------|
| 8  | Screw ( $\Phi$ 3.5x13 )   |  |  | Industrial Package |
|    | Zinc Plated               |  |  |                    |
| 9  | Front Fixing brackets L/R |  |  | Industrial Package |
|    |                           |  |  |                    |
| 10 | Front section             |  |  | Industrial Package |
|    |                           |  |  |                    |



|          |                          |         |    |
|----------|--------------------------|---------|----|
| Item NO. | incl. with drawer slides | Set/ctn | 10 |
|----------|--------------------------|---------|----|

|          |                          |         |    |
|----------|--------------------------|---------|----|
| Item NO. | incl. with drawer slides | Set/ctn | 10 |
|----------|--------------------------|---------|----|


|          |                    |         |    |
|----------|--------------------|---------|----|
| Item NO. | White (W) Grey (G) | Set/ctn | 10 |
|----------|--------------------|---------|----|




## Screw Positions of the Sides(mm)




## Installation Dimensions(mm)



## Drawer Back and Bottom Dimensions(mm)




# TOPSYSTEM *SL-SERIES* METAL DRAWER - height 185 mm (high drawer)



- 13 mm slim drawer panel  
max internal drawer space
- Color white or grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space requirement




## Specification

| Kit package          |                            |         |
|----------------------|----------------------------|---------|
| White (W) Grey (G)   |                            |         |
| Nominal length<br>NL | Soft close drawer item NO. | Set/ctn |
| 270mm                | SL185-270K                 | 1       |
| 300mm                | SL185-300K                 | 1       |
| 350mm                | SL185-350K                 | 1       |
| 400mm                | SL185-400K                 | 1       |
| 450mm                | SL185-450K                 | 1       |
| 500mm                | SL185-500K                 | 1       |
| 550mm                | SL185-550K                 | 1       |

| Drawer slides<br>industrial package |                            |         |
|-------------------------------------|----------------------------|---------|
| Pre-zinc steel                      |                            |         |
| Nominal length<br>NL                | Soft close drawer item NO. | Set/ctn |
| 270mm                               | SL44C-270                  | 10      |
| 300mm                               | SL44C-300                  | 10      |
| 350mm                               | SL44C-350                  | 10      |
| 400mm                               | SL44C-400                  | 10      |
| 450mm                               | SL44C-450                  | 10      |
| 500mm                               | SL44C-500                  | 10      |
| 550mm                               | SL44C-550                  | 10      |

| Drawer sides<br>industrial package |             |         |
|------------------------------------|-------------|---------|
| White (W) Grey (G)                 |             |         |
| Nominal length<br>NL               | Item NO.    | Set/ctn |
| 270mm                              | SL185-270mm | 10      |
| 300mm                              | SL185-300mm | 10      |
| 350mm                              | SL185-350mm | 10      |
| 400mm                              | SL185-400mm | 10      |
| 450mm                              | SL185-450mm | 10      |
| 500mm                              | SL185-500mm | 10      |
| 550mm                              | SL185-550mm | 10      |


## The basic components



| Bottom Fixing-brackets left/right Industrial Package |                          |          |    |
|------------------------------------------------------|--------------------------|----------|----|
| Item                                                 | incl. with drawer slides | Set/ctn  | 10 |
| Front Fixing-brackets Industrial Package             |                          |          |    |
| Pre-zinc Steel                                       |                          |          |    |
| Item                                                 | incl. with drawer sides  | Set/ctn  | 10 |
| Screw Industrial Package                             |                          |          |    |
| Zinc Plated                                          |                          |          |    |
| Item                                                 | incl. with drawer sides  | Set/ctn. | 10 |


## Installation dimensions (mm)

Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+3




## Drawer installation dimensions (mm)


Drawer Front



Back




## Screw positions of the sides (mm)





## Installation dimensions (mm)


LW Internal cabinet width




## Drawer back and bottom dimensions (mm)



KB Cabinet width  
LW Internal cabinet width  
NL Nominal length




# TOPSYSTEM **SL-SERIES** METAL DRAWER - height 185 mm (high inner drawer)



- Slim drawer panel  
max internal drawer space
- Color white or Grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment

## Space Requirement




## Specification

| Kit package          |                            |         |
|----------------------|----------------------------|---------|
| White (W) Grey (G)   |                            |         |
| Nominal length<br>NL | Soft close drawer item NO. | Set/ctn |
| 270mm                | SL185-270KI                | 1       |
| 300mm                | SL185-300KI                | 1       |
| 350mm                | SL185-350KI                | 1       |
| 400mm                | SL185-400KI                | 1       |
| 450mm                | SL185-450KI                | 1       |
| 500mm                | SL185-500KI                | 1       |
| 550mm                | SL185-550KI                | 1       |


| Sides Industrial Package |                            |         |
|--------------------------|----------------------------|---------|
| Pre-zinc                 |                            |         |
| Nominal length<br>NL     | Soft close drawer item NO. | Set/ctn |
| 270mm                    | SL44C-270                  | 10      |
| 300mm                    | SL44C-300                  | 10      |
| 350mm                    | SL44C-350                  | 10      |
| 400mm                    | SL44C-400                  | 10      |
| 450mm                    | SL44C-450                  | 10      |
| 500mm                    | SL44C-500                  | 10      |
| 550mm                    | SL44C-550                  | 10      |



| Drawer Sides Industrial Package |             |         |
|---------------------------------|-------------|---------|
| White (8081) 、 Grey(8082)       |             |         |
| Nominal length<br>NL            | Item NO.    | Set/ctn |
| 270mm                           | SL185-270mm | 10      |
| 300mm                           | SL185-300mm | 10      |
| 350mm                           | SL185-350mm | 10      |
| 400mm                           | SL185-400mm | 10      |
| 450mm                           | SL185-450mm | 10      |
| 500mm                           | SL185-500mm | 10      |
| 550mm                           | SL185-550mm | 10      |

## The basic components




| Item |                           |  |                    |
|------|---------------------------|--|--------------------|
| 3    | incl. with drawer slides  |  | Set/ctn 10         |
|      | Item                      |  |                    |
| 4    | Front Fixing brackets L/R |  | Industrial Package |
|      | White, Grey               |  |                    |
| 5    | incl. with drawer sides   |  | Set/ctn 10         |
|      | Item                      |  |                    |
| 6    | Screw ( Φ 4x25 )          |  | Industrial Package |
|      | Zinc Plated               |  |                    |
| 7    | incl. with drawer sides   |  | Set/ctn 10         |
|      | Item                      |  |                    |
| 8    | Bottom fixed              |  | Industrial Package |
|      | White                     |  |                    |
| 9    | incl. with drawer sides   |  | Set/ctn 10         |
|      | Item                      |  |                    |




|    |                                                                                   |                           |                          |         |    |
|----|-----------------------------------------------------------------------------------|---------------------------|--------------------------|---------|----|
| 8  |  | Screw ( $\Phi$ 3.5x13 )   | Industrial Package       |         |    |
|    |                                                                                   | Zinc Plated               |                          |         |    |
|    |                                                                                   | Item NO.                  | incl. with drawer slides | Set/ctn | 10 |
| 9  |  | Front Fixing brackets L/R | Industrial Package       |         |    |
|    |                                                                                   | Item NO.                  | incl. with drawer slides | Set/ctn | 10 |
|    |                                                                                   |                           |                          |         |    |
| 11 |  | Front section             | Industrial Package       |         |    |
|    |                                                                                   | White (W) Grey (G)        | 10                       |         |    |
|    |                                                                                   | Item NO.                  |                          | Set/ctn |    |
| 13 |  | Cross square rail         | Industrial Package       |         |    |
|    |                                                                                   | Item NO.                  |                          | Set/ctn |    |
|    |                                                                                   |                           |                          |         |    |


## Screw Positions of the Sides(mm)




808-1 Front section




Back



808-2 Front section




Normal Slide Length=NL Internal Cabinet Depth=LT LT=NL+3





## Installation Dimensions(mm)


LW Internal cabinet width



## Drawer Back and Bottom Dimensions(mm)



KB Cabinet width  
LW Internal cabinet width  
NL Nominal length



# TOPSYSTEM *SL-SERIES*


## METAL DRAWER metal back & assembly removal and adjustment

### Metal Back Height 89




| White (W) Grey (G) |            |            |            |            |             |
|--------------------|------------|------------|------------|------------|-------------|
| Cabinet width      | 300        | 500        | 600        | 800        | 1000        |
| Item No            | SL89/300MB | SL89/500MB | SL89/600MB | SL89/800MB | SL89/1000MB |
| Pcs/ctn            | 10         | 10         | 10         | 10         | 10          |

### Metal Back Height 121




| White (W) Grey (G) |             |             |             |             |              |
|--------------------|-------------|-------------|-------------|-------------|--------------|
| Cabinet width      | 300         | 500         | 600         | 800         | 1000         |
| Item No            | SL121/300MB | SL121/500MB | SL121/600MB | SL121/800MB | SL121/1000MB |
| Pcs/ctn            | 10          | 10          | 10          | 10          | 10           |

### Metal Back Height 185




| White (W) Grey (G) |             |             |             |             |              |
|--------------------|-------------|-------------|-------------|-------------|--------------|
| Cabinet width      | 300         | 500         | 600         | 800         | 1000         |
| Item No            | SL185/300MB | SL185/500MB | SL185/600MB | SL185/800MB | SL185/1000MB |
| Pcs/ctn            | 10          | 10          | 10          | 10          | 10           |

### Calculation of width




Back panel=Inside cabinet width-42MM

KB≥800mm  
Metal back fixed




### Cutting dimensions for 16mm chipboard




Bottom  
H=NL-20MM

LW Internal cabinet width  
NL Nominal length


### Drawer assembly





Metal back assembly



Metal back assembly drawer



Bottom assembly



## TOPSYSTEM SL-SERIES

DRAWER SYSTEMS MEETING THE DEMANDS OF TODAY

- 13 mm slim drawer panel  
max internal drawer space
- Color white or grey
- Fully synchronized motion,  
smooth opening and closing
- Quick and easy assembly  
and dismantling
- 3D adjustment
- Dynamic load 40 kg.
- Optional tilt adjustment
- FIRA tested 80.000 cycles

*Report reference: TSCAF74787:  
TOPSYSTEM SL-Series drawer  
Certificate date: 08 August 2017*



### TOPSLIDE CONTACTS:

- **Head office** Tel.: +45 8675 3311    [topslide@topslide-dk.com](mailto:topslide@topslide-dk.com)
- **UK office**    Tel.: +44 1604 404862    [topslide@topslide-uk.com](mailto:topslide@topslide-uk.com)
- Denmark, Silkeborgvej 765, DK-8220 Brabrand, Tel.: +45 8675 3311 [topslide@topslide-dk.com](mailto:topslide@topslide-dk.com)
- Germany, Karl Sack strasse 17, D-555 45 Bad Kreuznach-Bosenheim, Tel.: +49 0 171 296 1900 [topslide@topslide-de.com](mailto:topslide@topslide-de.com)
- UK, 33 Queens Crescent, Ossett, Wakefield, West Yorkshire WF5 8AU, Tel.: +44 1604 404862 [topslide@topslide-uk.com](mailto:topslide@topslide-uk.com)
- Sweden, Vallavägen 7, SE-58246 Linköping, Tel.: +46 70 876 33 87 [topslide@topslide-se.com](mailto:topslide@topslide-se.com)
- Italy & Spain, Via Settignano 03042 Atina (FR) Italy, Tel.: +39 348 5816467 [topslide@topslide-it.com](mailto:topslide@topslide-it.com)
- TOPSLIDE Europe, Silkeborgvej 765, DK-8220 Brabrand, Tel.: +45 8675 3311
- TOPSLIDE China, 11-A2 Rising Dragon Business Center, Hongfu Road, Nancheng District, Dongguan, Guangdong