

TITLE  
**CUCOMP.12000-4000**

DRAWN BY  
 J. Ellison

DATE  
 10/03/2022

CUSTOMER  
 CUSTOMER

NOTE:  
 All Purewater tanks must be fully supported on a flat, level & continuous foundation providing structural support to the tank when full to maximum operating capacity. It is essential that the user refers to the conditions of installation document prior to the installation of the tank. Under no circumstances should the tank body be used to provide support to pipework and ancillary items. The tank lid is a structural part of the tank and must be in place and fitted correctly when water is contained within the tank.

A4

ALL DIMENSIONS +/- 5mm  
 UNLESS OTHERWISE STATED

DESCRIPTION:  
 CUCOMP.12,000-4000.AG Airgap Combination Unit

ALL DIMENSIONS IN MM | DO NOT SCALE

DATE	VERSION	NOTES
10/03/2022	A	FIRST ISSUE


**TANK SPECIFICATION :**

WET COMPARTMENT	1000 x 2000 x 2000mm
DRY COMPARTMENT	2000 x 2000 x 2000mm
EXTERNAL DIMENSIONS	3192 x 2192 x 2118mm
NOMINAL CAPACITY	4000 Litres
INSULATION THICKNESS	25mm
MATERIAL	GRP

**purewater** storage ltd

SCALE:1:40

SHEET 1 OF 2



TITLE  
**CUCOMP.12000-4000**  
**c/w skid**

DRAWN BY  
 J. Ellison

DATE  
 10/03/2022

CUSTOMER  
 CUSTOMER

NOTE:  
 All Purewater tanks must be fully supported on a flat, level & continuous foundation providing structural support to the tank when full to maximum operating capacity. It is essential that the user refers to the conditions of installation document prior to the installation of the tank. Under no circumstances should the tank body be used to provide support to pipework and ancillary items. The tank lid is a structural part of the tank and must be in place and fitted correctly when water is contained within the tank.

A4

ALL DIMENSIONS +/- 5mm  
 UNLESS OTHERWISE STATED

DESCRIPTION:  
 CUCOMP.12,000-4000.AG Airgap Combination Unit c/w steel skid

ALL DIMENSIONS IN MM - DO NOT SCALE

DATE	VERSION	NOTES
10/03/2022	A	FIRST ISSUE

TANK SPECIFICATION :	
WET COMPARTMENT	1000 x 2000 x 2000mm
DRY COMPARTMENT	2000 x 2000 x 2000mm
EXTERNAL DIMENSIONS	3192 x 2192 x 2318mm
NOMINAL CAPACITY	4000 Litres
INSULATION THICKNESS	25mm
MATERIAL	GRP

**purewater** storage ltd

SCALE:1:40

SHEET 2 OF 2