





BRITALIA

— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES



www.britaliadoors.co.uk





We have our very own Aluminium foundry.




We paint more than 1,000 colours every year.
 Our production capacity is 25,000 tons per year.



Our Slitting Machine.




We can paint any colour.






Smart warehouse of aluminium coils.
It has a capacity of more than 3,000 tons






18 roll forming machines for slats and 8 roll forming machines for boxes




Aluminium box with polyurethane “aislaBoxUltra” roll forming machines.



Aluminium box roll forming machines (maximum 8 metres).




ALUMINIUM SLATS




Curved profile aluminium slat with polyurethane
Slat of **39** mm.



Curved profile aluminium slat with polyurethane
Slat of **43** mm.



Curved profile aluminium slat with polyurethane
Slat of **40-C** mm.



Curved profile aluminium slat with polyurethane
Slat of **45** mm.



Curved profile aluminium slat with polyurethane
Slat of **43+ Plus** mm.



Flat profile aluminium slat with polyurethane
Slat of **45-P** mm.




Curved profile aluminium slat with polyurethane
Slat of **45-C** mm.

ALUMINIUM SLATS


BRITALIA

— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES




Curved profile aluminium slat with polyurethane
Slat of **50** mm.



Curved profile aluminium slat with polyurethane
Slat of **50 Plus** mm.




Curved profile aluminium slat with polyurethane
Slat of **51 Plus** mm.



Curved profile aluminium slat with polyurethane
Slat of **55-C** mm.



Curved profile aluminium slat with polyurethane
Slat of **55-E** mm.



Curved profile aluminium slat with polyurethane
Slat of **55I Plus** mm.



Curved profile aluminium slat with polyurethane
Slat of **77-C** mm.



Curved profile aluminium End Slat with polyurethane
Slat of **T-50** mm.


		39	40-C	43	43+	45-C	45	45-P
Weight / m2 approximate	gr/mm	2.150	2.150	2.210	2.380	2.000	2.450	2.800
Maximum Width tested	mm	3.000	3.000	3.000	3.500	3.000	3.200	3.500
Maximum Width advised	mm	2.800	2.800	2.900	3.200	2.800	3.200	3.300
Slat size	mm	39	40	43	43	45	45	45
Slats per meter	u.	26	25	23	23	22	22	22
Length	m	6	6	6	6	6	6	6
Packing	m	390	450	390	390	450	336	330
Polyurethane density	kg/m ³	75-80	75-80	75-80	75-80	75-80	75-80	75-80
Coefficient of linear thermal expansion (-20° - +300 °)	µm/mk	25.5	25.5	25.5	25.5	25.5	25.5	25.5

WHAT ELSE?

- Solar Protection
- Energy Savings
- Acoustic Control
- More than 1,000 colours


50	51+	55-E	55- +	77-C	T-50
2.500	2.920	2.916	2.950	4.700	-
3.500	4.000	4.500	5.000	5.500	-
3.300	3.800	4.200	4.800	5.500	3.000
50	51	55	55	77	50
20	20	18	18	13	-
6	6	6	6	6	6
312	312	216	216	72	60
75-80	75-80	75-80	55-60	75-80	1.100
25.5	25.5	25.5	25.5	25.5	25.5

BOXES




ALUMINIUM BOX 90°(2 PIECED)

Boxes



ALUMINIUM BOX 90°(4 PIECED)

Boxes



ALUMINIUM BOX 45°

Boxes




1/4 ROUND ALUMINIUM BOX

Boxes




EXTREBOX BOX (PVC + ALUMINIUM)

Boxes



AISLABOX ULTRA BOX

Boxes




PVC Box - Decorative with insulation
155,185,200, 225 mm


45° Box & 1/4 Rounded Box Entry

	45° Lower Side	45° Lower Side FR	1/4 Rounded Lower Side	1/4 Rounded Lower Side FR
125 mm	30mm			
137 mm	32 mm			
150 mm	32 mm			
165 mm	35 mm	55 mm		55 mm
180 mm	36 mm	55mm	28mm	55mm
205 mm	32 mm	55 mm	28 mm	55 mm
230 mm	25 mm		28 mm	
250 mm	46 mm	45 mm	35 mm	45 mm
300 mm	46 mm	44 mm	32 mm	44 mm
350 mm	45 mm			
400 mm	62 mm			

Double Guide
H25



Guide
GE 36100



ROLLING (IN CM)

Slats	39 mm	40-C mm	43 mm	43 + mm	45-C mm
Axis	40 60 ZF54	40 60 ZF54	40 60 ZF54	40 60 ZF54	40 60 ZF54
Alu. 137 90°	152 144 135	160 160 144	133 137 115	133 137 115	148 140 140
Alu. 150 90°	198 183 163	200 200 192	176 163 150	176 172 150	180 198 175
Alu. 165 90°	245 226 220	272 260 260	215 206 215	219 223 215	238 220 240
Alu. 180 90°	292 280 270	344 328 360	270 258 285	296 292 285	310 283 310
Alu. 205 90°	393 374 375	440 432 432	365 356 365	374 387 365	391 391 400
Alu. 250 90°	545			540	560
Alu. 137 45°	152 148 135	160 160 144	133 137 115	133 137 115	148 148 140
Alu. 150 45°	198 175 163	200 200 192	176 163 150	176 172 150	180 180 175
Alu. 165 45°	245 234 220	272 260 260	215 206 215	219 223 215	238 229 240
Alu. 180 45°	292 284 270	344 328 360	270 258 285	296 292 285	310 292 310
Alu. 205 45°					
Alu. 250 45°					
Alu. 300 45°					
Alu. 350 45°					
Alu. 400 45°					
Alu. 1/4 Round 137	152 148 117	160 160 124	133 137 98	133 137 98	148 144 99
Alu. 1/4 Round 150	198 179 148	200 200 168	176 163 138	176 172 138	180 180 135
Alu. 1/4 Round 165	245 230 206	272 260 200	215 206 202	219 223 202	238 229 207
Alu. 1/4 Round 180	292 284 273	344 328 284	270 258 249	296 292 249	310 292 310
Alu. 1/4 Round 205	393 370 375	440 432 432	365 356 365	374 387 335	391 400 395
Alu. 1/4 Round 250					
Alu. 1/4 Round 300					
Aislabox Ultra 155	163 152 128	188 176 168	141 150 129	163 150 129	157 148 130
Aislabox Ultra 185	280 249 240	288 300 280	219 240 210	253 253 210	270 247 243
Aislabox Ultra 200	331 315 290	380 368 356	309 301 262	318 322 262	318 322 262
Aislabox Ultra 223	401 390 405	500 480 430	382 404 369	412 404 369	445 427 400
PVC - Extrebox 155	167 148 155	188 176 156	141 146 130	163 154 130	166 148 155
PVC - Extrebox 185	273 253 240	292 300 280	253 245 250	258 262 250	258 262 260
PVC 200	331 304 300	348 360 336	275 292 310	309 309 309	328 315 335
PVC 223	436 429 400	500 500	387 408 380	421 447 380	450 450 400

ROLLING (IN CM)

45 mm	45-P mm	50 mm	51+ mm	55E mm	55I+ mm	77C mm
40 60 ZF54	40 60 ZF54	40 60 120 ZF54	60 70 ZF54	60 70 ZF54	60 70 ZF54	70 100 130
112 130 110	81 81 80	95 90 95	90 95			
148 130 110	108 99 81	140 130 125	130 135			
216 211 180	126 126 125	165 155 180	175 180			
274 261 265	171 166 145	230 220 225	225 230			
373 360 325	225 243 220	300 300 300	315 310			
				357 357 280	357 363 308	223 251 238
112 130 110	81 81 80	95 90 95	90 95			
148 166 135	108 99 81	140 130 125	130 135			
216 211 180	126 126 125	165 155 180	175 180			
274 261 265	171 166 145	230 220 225	225 230			
373 360 325	225 243 220	300 300 300	315 310			
				357 357 253	357 363 302	223 251 238
				533 533 407	539 539 456	350 320
				550 495 588	660 610 643	519 498
				800 720 830	863 840 891	741 636
112 130 103	81 81 63	95 90 85	90 95			
148 166 126	108 99 76	140 130 110	130 135			
216 211 171	126 126 117	165 155 145	175 180			
274 261 225	171 166 140	230 220 195				
373 360 315	225 243 215	300 300 260	315 310			
		450 320 470		357 357 302	357 363 643	223 251 238
				553 553 407	539 539 891	350 320 280
130 130 99	85 90 81	110 110 95	125 125			
225 220 210	148 139 139	200 175 180	205 210			
279 270 260	198 189 153	250 225 260	225 255			
382 373 350	225 247 238	310 315 310	325 325			
130 130 120	103 90 125	115 115 105	120 120			
252 247 220	166 144 175	210 180 210	205 215			
274 270 270	175 189 171	250 225 255	225 250			
391 400 340	256 256 230	305 325 315	325 360			

COLOURS

A = Available in Stock (6m)

We can paint any colour. Special colours from 3.000 m.

Ref	Colour	33	40-C	43	45-C	43+	45	45-P	50	51+	55-E	55- +	77-C	T-50
001	White (9030)	A	A	A	A	A	A	A	A	A	A	A	A	A
002	Bronze	A	A	A	A		A	A			A	A	A	A
003	RAL 9006 (SILVER)	A	A	A	A	A	A	A		A	A	A	A	A
004	RLA 1015 (IVORY)	A	A	A	A	A	A	A		A	A	A	A	A
006	9005 Matte Black	A	A	A	A	A	A	A		A	A	A	A	A
009	RAL 9005 (Black)	A	A	A	A	A	A	A		A	A	A	A	A
010	Light Wood	A	A	A	A		A	A	A				A	A
012	Pine Knot NO2	A	A	A	A			A			A		A	A
014	Ivory Muñez	A	A	A	A						A			A
015	Dark Wood 8001	A	A	A	A									A
016	8019 Brown Mottled			A	A									
017	Pearly Grey No2	A	A	A	A		A	A	A		A			A
019	Gold	A	A	A	A									A
020	3007 Pearly			A	A									
023	Inox	A	A	A	A		A	A	A		A	A	A	A
029	6009 Pearly			A	A									
068	8017 Brown Mottled			A	A									
076	Inox 1103	A	A	A	A		A	A	A		A			A
077	Light Salmon			A	A		A				A			A
081	Walnut Medium			A	A		A							
090	Dark Walnut No1	A	A	A	A			A			A		A	A
091	Dark Walnut No2	A	A	A	A									A
1013	RAL 1013	A	A	A	A		A	A	A		A			A
119	Dark Wood No2	A	A	A	A		A	A			A		A	A
120	Mahogany	A	A	A	A									A
123	Cedar			A	A									A
126	8017 Pearly			A	A									
132	Old Walnut			A	A								A	
145	Dark Walnut No4		A	A	A									A
146	Dark Sapely			A	A							A		
168	Ivory Sabbia	A	A	A	A		A				A			
170	Dark Walnut No4		A	A	A									A
179	Light Beige	A	A							A				A
197	Noir 900 Sable	A	A	A	A		A		A		A			A
198	Noir 200 Sable	A	A	A	A		A		A		A			A
206	Golden Oak No3	A	A	A	A	A	A	A	A	A	A	A	A	A
231	Noir 100 Sable	A	A	A	A		A		A		A			
252	Blue 600 Sable	A	A	A	A		A		A		A			

COLOURS



— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES


[illegible]

COLOURS

BRITALIA

— DOOR PRODUCTS LTD —



MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES



Low Emissivity

Low emissivity paint is applied to aluminium surface, for interior use, to improve the thermal stability.



This Paint acts as a thermal barrier avoiding heat transfer. We get this effect by reducing the emissivity of the material, in other words, the own energy emission capacity of the material. Low emissivity yields high reflectance avoiding energy losses.



ALULOW-E coatings have a thermal resistance by about 50 % more than standard coatings.

	ALULOW-E Thermal Resistance	Standard Coating
Model 43+ (Permeability Class 5)	0.33 m ² K / W	0.17 m ² K / W

Colours In Stock



Slat models with internal and external winding

39, 40C, 43+, 51+

Low Absorption



ALUTHERM paint is applied to aluminium surfaces, for exterior use, to reflect solar energy in dark colors.

It acts as a white colour coat, by reducing the surface temperature and increasing thermal isolation. So, low absorption paint reduces thermal stresses of the surface, thereby increasing the durability of the aluminium. In addition, it also decreases the air condition requirement.

ALUTHERM coatings reduce the surface temperature by about 10°


	ALUTHERM TOTAL SOLAR REFLECTANCE	STANDARD TOTAL SOLAR REFLECTANCE
BLACK	38%	5%
DARK GREY	44%	9%
SLATE BLUE	32%	18%

END SLATS

BRITALIA


— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES




Extruded Aluminium Slats


Automatic Closing




Perforated




Automatic Closing



L EXP44



L EXP55




ALUMINIUM GUIDE RAILS

BRITALIA


— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES


Barna U25B




R00



R25




R55




UP40/22




UP40/25



TRADI ZF8/45




TRADI ZF14/45



H25



UPS65




H75




GE36100




**TRADI ZF8/45
PLISADA**




**TRADI ZF14/45
PLISADA**




H25P PLISADA




**H25C
CURVA**




**H25CP CURVA
PLISADA**




H66




**GE36/100PD
PLISABLE
DOBLE**




L60




L120




L160




P120 ABIERTA




P130 ABIERTA




P137 ABIERTA




P168




P180




PREMARCO 2,90




T120 ABIERTA




CENTRAL




H62



H80



UPS 80




EXTRUDED ALUMINIUM SLATS

BRITALIA


— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES


EL40C




EL40A




EL44




EL45A



EL45C




EL49
MICROPERFORATED




EXTRUDED ALUMINIUM SLATS


ELP55




EL64




EL65




EL79



EL79 TUBE



EL80




EXTRUDED ALUMINIUM SLATS

BRITALIA


— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES


EL85R




EL85R MICROPERFORATED




EL85R DUAL




EL100



EL110




BASEROLL 600




EXTRUDED ALUMINIUM SLATS

BRITALIA
— DOOR PRODUCTS LTD —
MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES


BASEROLL 603




BASEROLL 604




BASEROLL 605




BASEROLL 606



PERSIPLUS 625




PERSIPLUS 626
MICROPERFORATED




EXTRUDED ALUMINIUM SLATS


PERSIPLUS 627




PERSIPLUS 628




PERSIPLUS 629



EL25 (616, 617 & 618)




ACCESSORIES



Cardan Mechanism
Kg SINFIN R7:1 C8 HEX16 CON FIN

Ref

ACAR071C8H16C




Cardan Mechanism
Kg SINFIN R5.3:1 C8 HEX 7 HEX16 SIN FIN FIN

ACAR051 H7H16S




Hexagonal Insert C13 HEX16

ACARINHEX16C13




Complete Articulated Crank Handle
D13 A180 L1500

ACARMAN1318150




Crank Handle Holder

ACARP



Holder D13

ACARA13




Articulated Joint For Cardan 50° 2H Nylon Plate HEX7 M10

ACARS502NH7900

Articulated Joint For Cardan 90° 2H Nickel

CARSN0902T1



PVC Octagonal Axis CAP 60 C13

ACARCAPS40PC13

PVC Octagonal Axis CAP 60 C13

ACARCAPS60PC13

ACCESSORIES

Set of End Caps in Aluminium for Aluminium Box. Left & Right.

90°



Sizes	Ref.
A = 137 90°	AJT013790
A = 150 90°	AJT015090
A = 165 90°	AJT016590
A = 180 90°	AJT018090
A = 205 90°	AJT020590
A = 250 90°*	AJT025090
A = 300 90°*	AJT030090

45°




Sizes	Ref.
A = 137 45°	AJT013745
A = 150 45°	AJT015045
A = 165 45°	AJT016545
A = 180 45°	AJT018045
A = 205 45°	AJT020545
A = 250 45°*	AJT025045
A = 300 45°*	AJT030045
A = 300 45°*	AJT035045
A = 300 45°*	AJT040045

Metallic


Set of End Caps (Central) in Aluminium for Aluminium Box. Left & Right.

90°



Sizes	Ref.
A = 137 90°	AJTCE013790
A = 150 90°	AJTCE015090
A = 165 90°	AJTCE016590
A = 180 90°	AJTCE018090
A = 205 90°	AJTCE020590
A = 250 90°*	AJTCE025090
A = 300 90°*	AJTCE030090

45°



Sizes	Ref.
A = 137 45°	AJTCE013745
A = 150 45°	AJTCE015045
A = 165 45°	AJTCE016545
A = 180 45°	AJTCE018045
A = 205 45°	AJTCE020545

Set of End Caps in Aluminium for PVC Box. Left & Right.

Non-Flush



Sizes	Ref.
A = 137 (155)	AJTPV0155
A = 150 (170)	AJTPV0170
A = 165 (185)	AJTPV0185
A = 180 (200)	AJTPV0200

Flush



Sizes	Ref.
A = 137 (155)	AJTPV1155
A = 150 (170)	AJTPV1170
A = 165 (185)	AJTPV1185

Set of End Caps (Flush) In Abs With Ball Bearing for PVC Box. Left & Right



Sizes	Ref
A = 137 (155)	AJTPAR1155
A = 165 (185)	AJTPAR1185
A = 180 (200)	AJTPAR1200


Set of End Caps (Flush) in ABS for Motor and P.V.C Box



Sizes	Ref
A = 137 (155) Motor (Left)	AJTPARY1155
A = 137 (155) Motor (Right)	AJTPARZ1155
A = 165 (185) Motor (Left)	AJTPARY1185
A = 165 (185) Motor (Right)	AJTPARZ1185
A = 180 (200) Motor (Left)	AJTPARY1200
A = 180 (200) Motor (Right)	AJTPARZ1200


Set of End Caps for Aislabox Ultra Box. Left & Right.

ABS Non Flush with Ball Bearing



Sizes	Ref.
A = 137 (155)	AJTPV1155
A = 150 (170)	AJTPV1170
A = 180 (200)	AJTPV1185

Flush



Sizes	Ref.
A = 137 (155)	AJTPV1155
A = 165 (185)	AJTPV1170
A = 180 (200)	AJTPV1185

Set of Rounded End Caps in Aluminium for Aluminium Box. Left & Right.



Sizes	Sets	Ref.
A = 137	25 Sets	AJT013700
A = 150	23 Sets	AJT015000
A = 165	20 Sets	AJT016500
A = 180	19 Sets	AJT0118000
A = 205	15 Sets	AJT020500
A = 250	6 Sets	AJT020500
A = 300		AJT030000

Set of Safety Plates.



Sizes	Sets	Ref.
137-45 T/55 E=0.5mm	100	AJPL13745555
150-45 T/55 E=0.5mm	100	AJPL15045555
165-45 T/55 E=0.5mm	100	AJPL16545555
180-45 T/55 E=0.5mm	100	AJPL18045555
205-45 T/55 E=0.5mm	100	AJPL20545555
250-45 T/55 E=1mm	25	AJPL20545555
300-45 T/72 E=1mm	25	AJPL30045721
137-90 T/55 E=0.5mm	100	AJPL13790555
150-90 T/55 E=0.5mm	100	AJPL15090555
165-90 T/55 E=0.5mm	100	AJPL16590555
180-90 T/55 E=0.5mm	100	AJPL8090555
205-90 T/55 E=0.5mm	100	AJPL20590555
250-90 T/55 E=1mm	25	AJPL25090551



Sizes	Sets	Ref.
137 Rounded T/60	75	AJPL3700605
137 Rounded T/70	75	AJPL13700705
150 Rounded T/60	50	AJPL15000605
150 Rounded T/70	50	AJPL15000705
165 Rounded T/70	50	AJPL16500705
180 Rounded T/60	25	AJPL18000605
180 Rounded T/70	25	AJPL18000705
205 Rounded T/60	25	AJPL20500605
205 Rounded T/70	25	AJPL20500705
250 Rounded T/95	15	AJPL25000096
300 Rounded T/85	10	AJPL30000085

ACCESSORIES



— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES

Octagonal Axis





	Pieces	Ref.
40 x 0.4 6m (42)	12	AEJE04204O
40 x 0.7 6m (42)	6	AEJE04207O
50 x 0.5 6m	6	AEJE04205O
57 x 0.4 6m	6	AEJE05704O
57 x 0.7 6m	6	AEJE05707O
60 x 0.4 6m	6	AEJE06004O
60 x 0.6 6m	6	AEJE06006O
70 x 0.7 6m	6	AEJE07007O
70 x 1.2 6m	6	AEJE070012O

Octagonal Nylon Caps



	Pieces	Ref.
Axis 40 Ball Bearing (42)	200	ACAPS42R
Axis 50 Ball Bearing	100	ACAPS50R
Axis 57 Ball Bearing	200	ACAPS57R
Axis 60 Ball Bearing	200	ACAPS60R
Axis 40 (Shaft) (42)	200	ACAPS42E
Axis 50 (Shaft)	100	ACAPS50E
Axis 57 (Shaft)	200	ACAPS57E
Axis 60 (Shaft)	200	ACAPS60E
Axis 40 Telescopic (Ball Bearing)	200	ACAPSTE40R
Axis 40 Telescopic (Shaft)	200	ACAPSTE42E


Security Springs



	Pieces	Ref.
Open	500	ATIAB
Open Plastified	500	ATIABP
Drilled	500	ATIMAX
Plastified	200	ATISE77
Clicksur 1	300	ATICLH01
Clicksur 2	200	ATICLH02

ACCESSORIES

Set Nylon Entry Guides




	Pieces	Ref.
Non Flush	250	AJEMBN
45°	250	AJEMBN45
Flush	250	AJEMBNE
Plastified	200	AJEMBNR

Coilers



	Pieces	Ref.
Exterior Swinging C-14	50	ARECMI14
Exterior Swinging C-16	50	ARECMI16
Exterior Swinging C-18	50	ARECMI18
Exterior Swinging C-20	50	ARECMI20
Swinging With Cord	50	ARECMICO1
Swinging Without Handle	50	ARECMICO0
Coiler With Handle & Cord White/Grey/Brown	100	AMANCO
Tape Coiler To Wall F/PL Wide C-14	50	ARECUNCP14
Tape Coiler To Wall F/PL Wide C-18	50	ARECUNCP18
Tape Coiler To Wall F/PL Wide C-20	50	ARECUNCP20
Metallic Cover White	50	ARECSEMI0001
Natural Metallic Cover	50	ARECSEMI0003


Nylon Pulleys



	Units	Ref.
117 x 42 (Shaft) C=14	250	ADISPE141240
135 x 42 (Shaft) C=14	200	ADISPE141440
135 x 42 (Shaft) C=16	200	ADISPE161440
117 x 42 (Shaft) C=18	250	ADISPE181240
140 x 42 (Shaft) C=18	200	ADISPE181440
117 x 42 (Shaft) C=20	250	ADISPE201240
140 x 42 (Shaft) C=20	200	ADISPE201440
117 x 42 (Ball Bearing) C=14	250	ADISPR141240
135 x 42 (Ball Bearing) C=14	200	ADISPR141440
117 x 42 (Ball Bearing) C=18	250	ADISPR181240
135 x 42 (Ball Bearing) C=20	200	ADISPR181440
117 x 42 (Ball Bearing) C=20	250	ADISPR201240
140 x 42 (Ball Bearing)	200	ADISPR201440

ACCESSORIES

Strap Guides



	Units	Ref.
Compact Metallic Roller C-18	500	APASCO18M
Compact Nylon Roller C-18	1000	APASCO18N
Compact Metallic Roller C-20	500	APASCO20M
PVC Compact Metallic Roller C-18	500	APASPVC18
PVC Compact Metallic Roller C-20	500	APASPVC20
Lower With Slot C-18	1000	APASINF18
Lower With Slot C-20	1000	APASINF20
Strap For Aislabox - 20	500	APASASITP20
Oscillating With Spring C-14	500	APASBOCD14
Oscillating With Spring C-18	500	APASBOCD18

Stopper 40



	Pieces	Ref.
PVC Stopper With Screw And Washer L= 40mm	500	ATOPE040

Straps



	Metres	Ref.
14 Speckled	600 m	ACINTA14
16	600 m	ACINTA16
18	600 m	ACINTA18
20	600 m	ACINTA20
22	600 m	ACINTA22

Lateral Caps For Straps



	Pieces	Ref.
39, 40C mm Curved	2000	ATAPON39CR
43, 45, 45C Curved	2000	ATAPON43CR
45 mm Flat	500	ATAPON45R
50 mm Curved	500	ATAPON50C
55 mm Curved	500	ATAPON55C
77 mm Curved	500	ATAPON77C


ACCESSORIES



— DOOR PRODUCTS LTD —

MOTORS • CONTROLS • INDUSTRIAL SHUTTERS • ACCESSORIES

Winchs



	Pieces	Ref.
Integral Premium 20kg Winch With Handle. C/M HEX6 (COULISSE)	20	TORINTPRE
Built in 40kg Winch With Wire (Wall)	20	TOREMP40
Steel Wire For Winch	100	CABACT
Wire Guide Nut For Winch	200	GUICTT
PVC Tube For Wire 1.5m	100	TUBPVCTORNO

Nylon Ball Bearings



	Units	Ref.
28x10	400	AROD28X10N
28x12		AROD28X12N
42x12		AROD42X12N

Security Lock For End Slat



	Units	Ref.
5.5 x 80	500	ACERR55X80
6.5 x 80	500	ACERR65X80
Flat	300	ACERRPLA
Lock For Roll Formed End Slat	1000	ACERRPLAP

CONTACT US



sales@britaliadoors.co.uk



02920 667555

Fax

02920 666452



Freephone


0800 731368



Twitter

sales@britaliadoors.co.uk

www.britaliadoors.co.uk



www.britaliadoors.co.uk

02920 667555

